

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	01/31/2012	02/08/2012	2
002 Definitions and Abbreviations	01/12/2012	02/08/2012	2
003 Ratings and Limitations	01/30/2004	09/19/2011	4
004 Summary of Special Authorizations and Limitations	09/23/1998	06/07/2004	0
007 Designated Persons	12/19/2006	01/31/2007	1
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	05/25/2010	2

A001 . Issuance and Applicability

HQ Control: 01/31/2012

HQ Revision: 05d

a. These operations specifications are issued to Moss Vale Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:
160 B Donald Drive
Fairfield, Ohio 45014

Mailing Address:
P.O. Box 18759
Fairfield, Ohio 45018

b. The holder of these operations specifications is the holder of certificate number M0OR914N and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. The repair station specified on these operations specifications and located within the United States performs maintenance and/or an alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of the U.S./EC Safety Agreement, Annex 2, Maintenance, between the FAA and the EC.

e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2012.02.08 12:46:50 Central Standard Time
Location: WebOPSS
Digitally signed by Michael S Isham,
Principal Maintenance Inspector (GL05)

4. Date Approval is effective: 02/08/2012 Amendment Number: 2
5. I hereby accept and receive the Operations Specifications in this paragraph.

Morris, Timothy J., President

A handwritten signature in black ink, appearing to read "T. Morris".

Date: 02/08/2012

A002 . Definitions and Abbreviations

HQ Control: 01/12/2012

HQ Revision: 05b

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
Certificate Holder	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
CFR	Code of Federal Regulations
Class rating	As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.
EASA	European Aviation Safety Agency
EASA Accountable Manager	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
Exemption	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
FAA Accountable Manager	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.
Geographic Authorization	An approval provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not

	warrant permanently staffing and equipping the station for its accomplishment.
Limited Rating	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
Limited Ratings - Specialized Services	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
Line Maintenance	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
MAG	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the Agreement, Annex 2, Maintenance.
Maintenance	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
U.S./EC Aviation Safety Agreement, Annex 2, Maintenance	<i>Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.</i>
MIP	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance.
MOE	A maintenance organization exposition (MOE) pertains to EASA member countries that use an MOE in place of a Repair Station Manual (RSM) and a Quality Control Manual (QCM).
Preventive Maintenance	As defined in 14 CFR part 1 and part 43 appendix A, subparagraph (c).
QCM	Quality Control Manual
Repair Station located in the United States	A certificated repair station located in the United States.
Repair Station located outside the United States	A certificated repair station located outside of the United States.
RSM	Repair Station Manual

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2012.02.08 12:47:33 Central Standard Time
Location: WebOPSS
Digitally signed by Michael S Isham,
Principal Maintenance Inspector (GL05)

4. Date Approval is effective: 02/08/2012 Amendment Number: 2
5. I hereby accept and receive the Operations Specifications in this paragraph.

Morris, Timothy J., President

A handwritten signature in black ink, appearing to read "T. Morris", written over a horizontal line.

Date: 02/08/2012

A003 . Ratings and Limitations

HQ Control: 01/30/2004

HQ Revision: 010

The Certificate Holder is authorized the following Ratings and/or Limitations:

Class Ratings

N/A

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	McDonnell Douglas	DC-9 (10, 20, 30, 40, 50 Series)	Perform maintenance on approved parts associated with Stage 3 Hushkits per STC's and in accordance with the appropriate FAA Approved ABS Partnership Master Drawing List (latest revision) or other FAA Approved Data.
	Boeing	737 (100, 200, 200C, Series)	Perform maintenance on approved parts associated with Stage 3 Hushkits per approved STC's and in accordance with the appropriate FAA Approved AvAero Master Drawing List (latest revision) or other FAA Approved Data.
Accessories - Hydraulic Component Repair and Overhaul.	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
Perform aircraft welding and brazing	In accordance with AMS-STD-2219, and AWS C3.4 as revised and FAA Approved manufacturer's specifications or other FAA Approved Data.	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Perform maintenance repairs, modifications and tests of all aircraft ducts, hoses, lines (air, oxygen, fluid) and structural tube components, assemblies,	In accordance with FAA Approved manufacturer's current component maintenance/overhaul manuals, drawings, repair process specifications an/or other FAA	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods,

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
plenums, reservoirs, vent boxes, housings and manifolds.	Approved Data.	techniques, and practices acceptable to the Administrator.
Perform maintenance repairs, modifications and tests of all powerplant lines (air, fluid), hoses, ducts, structural tube components and assemblies, plenums, reservoirs, vent boxes, housings and manifolds.	In accordance with FAA Approved manufacturer's current component maintenance/overhaul manuals, drawings, repair process specifications and/or other FAA Approved Data.	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Perform maintenance repairs, overhaul and inspect exhaust system and exhaust system component parts for aircraft engines.	In accordance with FAA Approved manufacturer's current component maintenance/overhaul manuals, drawings, repair process specifications and/or other FAA Approved Data	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Aircraft Tube Flaring	AS4330 as revised	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Assembly for Aircraft Flareless Tube Fittings	AS5148 as revised	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Aircraft Tube Double Flaring	AS33583 as revised	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Pressure Testing, Hydraulic	AMS 2615E as revised	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Installation of Externally Swaged	AS 5902 as revised	Use the methods, techniques, and

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
Fittings		practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Tube Assembly Overhaul and Repair	Per DER Approved Process Specification TP-160-1 as revised	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Tube Welding Procedures	Per DER Approved Process Specification TP-170-1 as revised.	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Tube Material Analysis	Per DER Approved Process Specification TP-180-1 as revised.	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

A004. Summary of Special Authorizations and Limitations

HQ Control: 9/23/1998
HQ Revision: 010


a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	<u>Reference Paragraphs</u>
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is *not authorized and shall not*:

Use Exemptions.	A005
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for certificate holders conducting operations under 14 CFR Parts 121, 125, and 135, and for foreign carriers or foreign persons operating a U.S.-registered aircraft in common carriage under 14 CFR Part 129.	D107

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.


Faske, Stanley P.

Principal Maintenance Inspector

GL05

3. Date Approval is effective: 6/7/04 Amendment Number: 0
4. I hereby accept and receive the Operations Specifications in this paragraph.


Timothy J. Morris

President

Date: 6/7/04

A007. Designated Persons

HQ Control: 12/19/06
HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations


Title	Name	Parts Authorized
President	Timothy J. Morris	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Timothy J. Morris	FR3DCAT@YAHOO.COM	513-939-1970	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.


Faske, Stanley P.

Principal Maintenance Inspector

GL05

3. Date Approval is effective: 1/31/07 Amendment Number: 1
4. I hereby accept and receive the Operations Specifications in this paragraph.


Timothy J. Morris

President

Date: 1/31/07

A449 . Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009

HQ Revision: 00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

	Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:
Telephone Number:	A1 (513)-939-1970
Address:	160 B Donald Drive
Address:	
City:	Fairfield
State:	OH
Zip code:	45015

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	10/28/2009	1

**D100 . Work to be Performed at a Place Other Than the Repair
Station Fixed Location(s)**

HQ Control: 11/16/2004

HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Per Paragraph A003, Ratings and Limitation	Section E, Paragraph 203	

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations . Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2009.10.28 08:21:15 Central Daylight Time
Location: WebOPSS
Digitally signed by Michael S Khan,
Principal Maintenance Inspector

4. Date Approval is effective: 10/28/2009

Amendment Number: 1

5. I hereby accept and receive the Operations Specifications in this paragraph.

Morris, Timothy J., President

A handwritten signature in black ink, appearing to read "T. Morris".

Date: 10/28/2009